

# TCCC Journal Watch

**August 2009**

**Allison C, Trunkey D: Battlefield trauma, traumatic shock and consequences: war-related advances in critical care. Crit Care Clin 2009;25:31-45**

**Beilman G, Blondet j, Nelson T, et al: Early hypothermia in severely injured trauma patients is a significant risk factor for multiple organ dysfunction syndrome but not mortality. Ann Surgery 2009;249:845-850**

**Brenner T, Gries A, Helm M, et al: Intraosseous infusion systems in the prehospital setting. Resuscitation 2009;80:607**

**Brown M, Daya M, Worley J, et al: Experience with chitosan dressing in a civilian EMS system.**

**Cai B, Deitch E, Grande D, et al: Anti-inflammatory resuscitation improves survival in hemorrhage with trauma. J Trauma 2009;66:1632-1640**

**Carter A, Davis K, Evans L, et al: Information loss in emergency medical services handover trauma patients. Prehosp Emerg Care 2009;13:280-285**

**Champion H, Holcomb J, Young L: Injuries from explosions: physics, biophysics, pathology, and required research focus. J Trauma 2009;66:1468-1477**

**Chen L, Resiner A, Gribok A, et al: Exploration of prehospital vital sign trends for the prediction of trauma outcomes. Prehosp Emerg Care 2009;13:286-294**

**Cobas M, De la Peña M, Manning R, et al: Prehospital intubations and mortality: a level 1 trauma center perspective. Anesth Analg 2009;109:489-493**

**Cooper E, Bateman S, Muir W: Evaluation of hyperviscous fluid resuscitation in a canine model of hemorrhagic shock: a randomized, controlled study.**

**Denver Metro Airway Study Group: A prospective multicenter evaluation of prehospital airway management performance in a large metropolitan region. *Prehosp Emerg Care* 2009;13:304-310**

**Dougherty A, Mohrie C, Galarneau M, et al: Battlefield extremity injuries in Operation Iraq Freedom. *Injury* 2009;40:772-777**

**Ford N, Mills E, Zachariah R, et al: Ethics of conducting research in conflict settings. *Confl Health* 2009;10:3-7**

**Gauna AA, Kang SK, Triano ML, et al: Oral Transmucosal fentanyl citrate for dyspnea in terminally ill patients: an observational case series. *J Palliat Med* 2009;11:643-648**

**Gerritse B, Scheffer G, Draaisma J: Prehospital intraosseous access with the bone injection gun by a helicopter-transported emergency medical team. *J Trauma* 2009;66:1739-1741**

**Huang C, Kao K, Hsu K, et al: Effects of hydroxyethyl starch resuscitation on extravascular lung water and pulmonary permeability in sepsis-related acute respiratory distress syndrome. *Crit Care Med* 2009;37:1948-1955**

**Johannigman J, Branson R, Edwards M: Closed loop control of inspired oxygen concentration in trauma patients. *J Amer Col of Surgeon* 2009;208:763-768**

**Kilbourne M: Hemostatic efficacy of modified amylopectin powder in a lethal porcine model of extremity arterial injury. *Ann Emerg Med* 2009;53:804-810**

**Kucewicz J, Bailey M, Kaczowski P, et al: Focused ultrasound: concept for automated transcutaneous control of hemorrhage in austere settings. *Aviat Space Environ Med*;2009;80:391-394**

**Lam N, Hagberg C, Bassili L: Use of the video laryngoscopy for combitube exchange in a difficult airway. *J Clin Anesth* 2009;21:294-296**

**Langeron O, Birenbaum A, Amour J: Airway management in trauma. *Minerva Anesthesiol* 2009;75:307-311**

**Levitan R, Bortle C, Snyder T, et al: Use of a battery-operated needle driver for intraosseous access by novice users: skill acquisition with cadavers. *Ann Emerg Med* 2009;Epub ahead of print.**

**Luck R, Haines C, Mull C: Intraosseous access. J Emerg Med 2009;Epub ahead of print**

**Lundgren J, Henriksson O, Pretorius T, et al: Field torso-warming modalities: a comparative study using a human model. Prehops Emerg Care 2009;13:371-378**

**Manring M, Hawk A, Calhoun J, et al: Treatment of war wounds: a historical review. Clin Orthop Relat Res 2009;Epub ahead of print**

**Martínez-Odriozola P, Gutiérrez-Macías A, Ibarria-Lahuerta J, et al: Meloxicam as a cause of drug-induced autoimmune hepatitis. Dig Dis Sci 2009;Epub of print**

**McArdle G, McAuley D, McKinley A, et al: Preliminary results of a prospective randomized trial of restrictive versus standard fluid regime in elective open abdominal aortic aneurysm repair. Ann of Surgery 2009;Epub ahead of print.**

**McQuay N, Cipolla J, Franges E, et al: The use of recombinant activated factor VIIa in coagulopathic traumatic brain injuries requiring emergent craniotomy: is it beneficial? J Neurosurg 2009;Epub ahead of print**

**Mullins J, Harrahill M: Use of a tourniquet after a gunshot wound to the thigh. J Emerg Nurs 2009;35:265-267**

**Neparidze N, Kriz N, Ornstein D: Hetastarch haemophilia . Haemophilia 2009;15:976-979**

**Otero V, Posse J, Carmona I, et al: Efficacy of fluoroquinolones against pathogenic oral bacteria. Mini Rev Med Chem 2009;Epub ahead of print.**

**Plurad D, Chandrasoma S, Best C, et al: A complication of intracorporeal use of quickclot for pelvic hemorrhage. J Trauma 2009;66:1482-1484**

**Ramasamy A, Harrison S, Lasrado I, et al: A review of casualties during the Iraq insurgency 2006- a British field hospital experience. Injury 2009;40:493-497**

**Ramasamy A, Midwinter M, Mahoney P, et al: Learning the lessons from conflict: Pre-hospital cervical spine stabilization following ballistic neck trauma. Injury 2009;Epub ahead of print**

**Sambasivan C, Cho S, Zink K, et al: A highly porous silica and chitosan-based hemostatic dressing is superior in controlling hemorrhage in a severe groin injury model in swine. Am J Surgery 2009;197:576-580**

**Schmid M, Mang H, Ey K, et al: Prehospital airway management on rescue helicopters in the United Kingdom. Anaesthesia 2009;64:625-631**

**Streets C: Lessons from the battlefield in the management of major trauma. Br J Surg 2009;96:831-832**

**Tam R, Maloney J, Gaboury I, et al: Review of endotracheal intubations by Ottawa Advanced Care Paramedics in Canada. Prehosp Emerg Care 2009;13:311-315**

**Thaveau F, Zoll J, Bouitbir J, et al: Contralateral leg as a control during skeletal muscle ischemia-reperfusion. J Surg Res 2009;155:65-69**

**Wang H, Weaver M, Abo B, et al: Ambulance stretcher adverse events. Qual Saf Health Care 2009;18:213-216**

## **April 2009**

**Archan S, Prause G, Gumpert R, Seibert FJ, Kúgler B: Cricothyroidotomy on the scene in a patient with severe facial trauma and difficult neck anatomy. AM J Emerg Med 2009;27:133**

**Bauman RA, Ling GS, Tong L, et al: An introductory characterization of a combat casualty care-relevant swine model of closed head injury resulting from exposure to explosive blast. J Neurotrauma 2009 Feb 12; Epub ahead of print**

**Black IH, McManus J: Pain Management in current combat operations. Prehosp Emerg Care 2009;13:223-227**

**Bledsoe B, Gandy W: The Disappearing Endotracheal Tube: Historic skill threatened by lack of practice and new devices. JEMS 2009;34:88-99**

**Bruns B, Gentilello L, Elliot A, Shafi S: Prehospital hypotension redefined. J Trauma 2008;65:1217-1221**

**Bullard-Berent J: Intraosseous infusion: an instructional program for healthcare providers, revised edition (CD-ROM) Prehosp Emerg Care 2009;13:266**

**Cai B, Chen F, Lin X, et al: Anti-inflammatory adjuvant in resuscitation fluids improves survival in hemorrhage: Crit Care Med 2009;37:1133-1134**

**Chan SS: Tension pneumothorax managed without immediate needle decompression. J Emerg Med 2009;36:242-245**

**David JS, Dubien PY, Capel O, Peguet O, Gueugniaud PY: Intraosseous infusion using the bone injection gun in the prehospital setting. Resuscitation 2009;80:384-385**

**Devlin JJ, Kircher S, Kozen BG, Littlejohn LF, Johnson AS: Comparison of ChitoFlex®, CELOX, and QuikClot® in Control Hemorrhage. J Emerg Med 2009; Apr 1 - Epub ahead of print**

**Fatovich DM, Jacobs IG: The relationship between remoteness and trauma deaths in Western Australia. J Trauma 2008 Aug 15 - Epub ahead of print**

**Gehardt RT, De Lorenzo RA, Oliver J, Holcomb JB, Pfaff JA: Out-of-hospital combat casualty care in the current war in Iraq. Ann Emerg Med 2009;53:169-172**

**Hartog C, Brunkhorst F, Reinhart K: Hydroxyethyl starch 130/0.4 and surgical blood loss. Anesth Analg 2009;108:672**

**Hasan SM, Shoaib MH, Hassan F, Rehman I: Bioequivalence studies of two brands of meloxicam tablets in healthy Pakistani volunteers. Pak J Pharm Sci 2009;22:199-204**

**Hassis VJ, Schino MA, Tepas JJ, et al: Definitive establishment of airway control is critical for optimal outcome in lower cervical spinal cord injury. J Trauma 2008;65:1328-1332**

**Holcomb JB, McManus JG, Kerr ST, Pusateri AE: Needle versus tube thoracostomy in a swine model of traumatic tension hemopneumothorax. Prehosp Emerg Care. 2009;13:18-27**

**Hurtado TR, Montoya C: Trauma scissors vs. the rescue hook, exposing a simulated patient: a pilot study. J Emerg Med 2009;36:232-235**

**Johannigman JA, Branson R, Lecroy D, Beck G: Autonomous control of inspired oxygen concentration during mechanical ventilation of the critically injured trauma patient. J Trauma 2009;66:386-392**

**Kheirabadi BS, Edens JW, Terrazas IB et al: Comparison of new hemostatic granules/powders with currently deployed hemostatic products in a lethal model of extremity arterial hemorrhage in swine. J Trauma 2009;66:316-328**

**Kragh JF Jr, Walters TJ, Baer DG, Fox CJ, Wade CE, Salinas J, Holcomb JB: Survival with emergency tourniquet use to stop bleeding in major limb trauma. Ann Surg 2009;249:1-7**

**Lacquiere A, Heard AM: Emergency cricothyroidotomy: training is paramount and oxygenation is the aim. Anaesthesia 2009;64:447-448**

**Moore FA: Tourniquets: Another adjunct in damage control? Ann Surg 2009;249:8-9**

**Parker PJ: Pre-Hospital Antibiotic Administration. JR Army Med Corps 2009;154:5-9**

**Schramko AA, Suojaranta-Ylinen RT, Kuitunen AH, Kukkonen SI, Niemi TT: Rapidly degradable hydroxyethyl starch solutions impair blood coagulation after cardiac surgery: a prospective randomized trial. Anesth Analg 2009;108:30-36**

**Shipman N, Lessard CS: Pressure applied by the emergency Israeli bandage. Mil Med 2009;174:86-92**

**Sise MJ, Shackford SR, Sise CB, et al: Early intubation in the management of trauma patients; indications and outcomes in 1,000 consecutive patients. J Trauma 2009;66:32-9**

**Spinella PC, Perkins JG, Grathwohl KW, Beekley AC, Holcomb JB: Warm fresh whole blood is independently associated with improved survival for patients with combat-related traumatic injuries. J Trauma 2009;66:S69-S76**

**Stein DM, Dutton RP, Kramer ME, Scalea TM: Reversal of coagulopathy in critically ill patients with traumatic brain injury: recombinant factor VIIa is more cost-effective than plasma. J Trauma 2009;66:63-72**

**Stevens RL, Rochester AA, Busko J, et al: Needle thoracostomy for tension pneumothorax: failure predicted by chest computed tomography. Prehosp Emerg Care 2009;13:14-17**

**Talving P, Benfield R, Hadjizachari P, et al: Coagulopathy in severe traumatic brain injury: a prospective study J Trauma 2009;66:55-61**

**Thistlethwaite R, Ray R, Kessell G: Emergency cricothyroidotomy: equipment in anaesthetic practice. Anaesthesia 2009;64:448-449**

**Velmahos GC, Tabbara M, Spaniolas K, et al: Self-expanding hemostatic polymer for control of exsanguinating extremity bleeding. J Trauma 2009;66:984-8**

**Warner KJ, Sharar SR, Copass MK, Bulger EM: Prehospital management of the difficult airway: a prospective cohort study. J Emerg Med 2009;36:257-265**

## **February 2009**

**Cearnal L: Emergency medicine physicians highlight “Army-wide emergency medical care deficiency” in training of flight medics. Ann Emerg Med 2008;52:522-524**

**Gerhardt RT, DeLorenzo RA, Olivier J, Holcomb JB, Pfaff JA: Out-of-hospital combat casualty care in the current war in Iraq. Ann Emerg Med 2009;53:169-174**

**Kragh JF, Walters TJ, Baer, DJ, et al: Survival with emergency tourniquet use to stop bleeding in major limb trauma. Ann Surg 2009;249:1-7**

**Shipman N, Lessard CS: Pressure applied by the Emergency/Israeli bandage. Milit Med 2009;174:86-92**

**Suter RE: Forward medical care and the military emergency medicine workforce: too much demand and not enough supply? Ann Emerg Med 2009;53:175-177**

**Wamer KJ, Cuschieri J, Garland B, et al: The utility of early end-tidal capnography in monitoring ventilation status after severe injury. J Trauma 2009;66:26-31**

## **November 2008**

**Brodie S, Hodgetts TJ, Ollerton J, et al: Tourniquet use in combat trauma: UK military experience. J R Army Med Corps 2007;153:310-313**

**Calhoun JH, Murray CK, Manring MM: Multidrug-resistant organisms in military wounds from Iraq and Afghanistan. Clin Orthop Relat Res 2008;466:1356-1362**

**Englehart MS, Cho SD, Tieu BH, et al: A novel highly porous silica and chitosan-based hemostatic dressing is superior to HemCon and gauze sponges. J Trauma 2008;65:890-892**

**Hess JR, Brohi K, Dutton RP, et al: The coagulopathy of trauma: a review of mechanisms. J Trauma 2008;65:748-754**

**Holcomb JB, Wade CE, Michalek JE, et al: Improved plasma and platelet to red blood cell ratios improves outcome in 466 massively transfused civilian trauma patients. Ann Surg 2008;248:in press**

**Ivascu FA, Howells GA, Junn FS, et al: Predictors of mortality in trauma patients with intracranial hemorrhage on preinjury aspirin or clopidogrel. J Trauma 2008;65:785-788**

**Kalish J, Burke P, Feldman J, et al: The return of tourniquets. JEMS 2008;33:44-46**

**Kozek-Langenecker SA, Jungheinrich C, Sauermann W, Van der Linden P: The effects of hydroxyethyl starch 130/0.4 (6%) on blood loss and use of blood products in major surgery: a pooled analysis of randomized clinical trials. Anesth Analg 2008;107:382-390**

**Lier H, Krep H, Schroeder S, Stuber F: Preconditions of hemostasis in trauma: a review. The influence of acidosis, hypocalcemia, anemia, and hypothermia on functional hemostasis in trauma. J Trauma 2008;65:951-960**

**Moskowitz DM, Shander A, Javidroozi M, et al: Postoperative blood loss and transfusion associated with use of Hextend in cardiac surgery patients at a blood conservation center. Transfusion 2008;48:768-775**

**Nichol G, Thomas E, Callaway, et al: Regional variation in out-of-hospital cardiac arrest incidence and outcome. JAMA 2008;300:1423-1431**

**Rathinam S, Beetman A, Steyn RS: Needle thoracostomy in treatment of a tension pneumothorax. J Trauma 2008;65:964**

**Sasson C, Hegg AJ, Macy M, et al: Prehospital termination of resuscitation in cases of refractory out-of-hospital cardiac arrest. JAMA 2008;300:1432-1438**

**Stiver SI, Manley GT: Prehospital management of traumatic brain injury. Neurosurg Focus 2008;25:E5**

**Tien HC, Jung V, Rizoli SB, Acharya SV, MacDonald JC: An evaluation of Tactical Combat Casualty Care interventions in a combat environment. J Am Coll Surg 2008;207:174-178**

**Weeks DL, Jahr JS, Lim JC, Butch AW, Driessen B: Does Hextend impair coagulation compared to 6% hetastarch? An ex-vivo thromboelastography study. Am J Ther 2008;15:225-230**

## **August 2008**

**Adams BD, Cuniowski PA, Muck A, De Lorenzo RA: Registry of emergency airways arriving at combat hospitals. J Trauma 2008;64:1548-1554**

**Beekley AC: Damage control resuscitation: a sensible approach to the exsanguinating surgical patient. Crit Care Med 2008;36:S267-S274**

**Beninati W, Meyer MT, Carter TE: The critical care air transport program. Crit Care Med 2008;36:S370-S376**

**Blackbourne LH: Combat damage control surgery. Crit Care Med 2008;36:S304-S310**

**Brethauer SA, Chao A, Chambers LW, Green DJ, Brown C, Rhee P, Bohman HR: Invasion vs Insurgency: US Navy/Marine Corps Forward Surgical Care During Operation Iraqi Freedom. Arch Surg. 2008;143(6):564-569.**

**Dewitt DS, Prough DS: Blast-induced brain injury and post-traumatic hypotension and hypoxemia. J Neurotrauma 2008: E-pub ahead of print 30 April**

**Doyle GS, Taillac PP: Tourniquets: A review of current use with proposals for expanded prehospital use. Prehospital Emergency Care 2008;12:241-256**

**Fergusson DA, McIntyre L: The future of clinical trials evaluating blood substitutes. JAMA e-pub 28 April 2008**

**Kheirabadi BS, Crissey JM, Deguzman R, et al: Effects of synthetic versus natural colloid resuscitation on inducing dilutional coagulopathy and increasing hemorrhage in rabbit. J Trauma 2008;64:1218-1228**

**Johannigman JA: Maintaining the continuum of en route care. Crit Care Med 2008;36:S377-S382**

**Kortbeek JB, et al: Advanced Trauma Life Support, 8<sup>th</sup> Edition, The evidence for change. J Trauma 2008;64:1638-1650**

**Kozek-Langenecker SA, Jungheinrich C, Sauermann W, Van der Linden P: The effects of hydroxyethyl starch 130/0.4 (6%) on blood loss and use of blood products in major surgery: a pooled analysis of randomized clinical trials. Anesth Anal 2008;107:382-390**

**Mabry R, McManus JG: Prehospital advances in the management of severe penetrating trauma. Crit Care Med 2008;36:S258-266**

**Malchow RJ, Black IH: The evolution of pain management in the critically ill trauma patient: emerging concepts from the global war on terrorism. Crit Care Med 2008;36:S346-S347**

**McIntosh SE, Swanson ER, Barton ED: Cricothyroidotomy in air medical transport. J Trauma 2008;64:1543-1547**

**Murray CK: Infectious disease complications of combat-related injuries. Crit Care Med 2008;36:S358-S364**

**Natanson C, Kern SJ, Lurie P, Banks SM, Wolfe SM: Cell-free hemoglobin-based substitutes and risk of myocardial infarction and death. JAMA e-pub 28 April 2008**

**Niles SE, McLaughlin DF, Perkins JG, Wade CE, Li Y, Spinella PC, Holcomb JB: Increased mortality associated with the early coagulopathy of trauma in combat casualties. J Trauma 2008;64:1459-1463**

**Perkins JG, Cap AP, Weiss BM, Reid TJ, Bolan CE: Massive transfusion and nonsurgical hemostatic agents. Crit Care Med 2008;36:S325-S329**

**Richey SL: Tourniquets for the control of traumatic hemorrhage: a review of the literature. World Journal of Emergency Surgery 2006**

## **April 2008**

**Beekley AC, Sebesta JA, Blackbourne LH, Herbert GS, Kauvar DS, Baer DG, Walters TJ, Mullenix PS, Holcomb JB: Prehospital tourniquet use in Operation Iraqi Freedom: effect on hemorrhage control and outcomes. J Trauma 2008;64:S28-S37**

**Calhoun JH, Murray CK, Manring MM: Multidrug-resistant organisms in military wounds from Iraq and Afghanistan. Clin Orthop Relat Res 2008; E-pub ahead of print**

**Cancio LC, Wade CE, West SA, Holcomb JB: Prediction of mortality and of the need for massive transfusion in casualties arriving at combat support hospitals in Iraq. J Trauma 2008;64:S51-S55**

**Conger NG, Landrum ML, Jenkins DH, et al: Prevention and management of infections associated with combat-related thoracic and abdominal cavity injuries. J Trauma 2008;64:S257-S264**

**Convertino VA, Ryan KL, Rickards CA, Salinas J, McManus JG, Cooke WH, Holcomb JB: Physiological and medical monitoring for en route care of combat casualties. J Trauma 2008;64:S342-S353**

**Cordts PR, Brosch LA, Holcomb JB: Now and then: combat casualty care policies for Operation Iraqi Freedom and Operation Enduring Freedom compared with those of Vietnam. J Trauma 2008;64:S14-S20**

**Dayan L, Zinmann C, Stahl S, Norman D: Complications associated with prolonged tourniquet application on the battlefield. Milit Med 2008;173:63-66**

**Doyle GS, Taillac PP: Tourniquets – a review of current use with proposals for expanded prehospital use. Prehosp Emerg Care 2008;12:241-256**

**Hospenthal DR, Murray CK, Anderson RC, et al: Guidelines for the prevention of infection after combat-related injuries. J Trauma 2008;64:S211-S220**

**Kelly JF, Ritenhour AE, McLaughlin DF, Bagg KA, Apodaca AN, Mallak CT, Pearse L, Lawnick MM, Champion HR, Holcomb JB: Injury severity and causes of death from Operation Iraqi Freedom and Operation Enduring Freedom: 2003-2004 vs 2006. J Trauma 2008;64:S21-S26**

**Kragh JF, Walters TJ, Baer DG, Fox CJ, Wade CE, Salinas J, Holcomb JB: Practical use of emergency tourniquets to stop bleeding in major limb trauma. J Trauma 2008;64:S38-S50**

**Lott MN, Fuller JJ, Hancock HA, Singh J, McGwin G, Marcus DM: Vitreal penetration of oral moxifloxacin in humans. Retina 2008;28:473-476**

**Madigan MC, Kemp CD, Johnson JC, Cotton BA: Secondary abdominal compartment syndrome after severe extremity injury: are early, aggressive fluid resuscitation strategies to blame? J Trauma 2008;64:280-285**

**Markowitz DM, Shander A, Javidroozi M, Klein JJ, Perelman SI, Nemeth J, Ergin MS: Postoperative blood loss and transfusion associated with use of Hextend in cardiac surgery patients at a blood conservation center. Transfusion 2008;48:768-775**

**Murray CK, Hsu JR, Solomkin JS, et al: Prevention and management of infections associated with combat-related extremity injuries. J Trauma 2008;64:S239-S251**

**Murray CK: Epidemiology of infections associated with combat-related injuries in Iraq and Afghanistan. J Trauma 2008;64:S232-S238**

**Owens BD, Kragh JF, Wenke JC, Macaitis J, Wade CE, Holcomb JB: Combat wounds in Operation Iraqi Freedom and Operation Enduring Freedom. J Trauma 2008;64:295-299**

**Petersen K, Hayes DK, Blice JP, Hale RG: Prevention and management of infections associated with combat-related head and neck injuries. J Trauma 2008;64:S265-S276**

**Rhee P, Brown C, Martin M, et al: QuikClot use in trauma for hemorrhage control: case series of 103 documented uses. J Trauma 2008;64:1093-1099**

**Ritenour AE, Dorlac WC, Fang R, Woods T, Jenkins DH, Flaherty SF, Wade CE, Holcomb JB: Complications after fasciotomy revision and delayed compartment release in combat patients. J Trauma 2008;64:S153-S162**

**Ryan KL, Batchinsky A, McManus JG, Rickards CA, Convertino VA: Changes in pulse character and mental status are late responses to central hypovolemia. Prehosp Emerg Care 2008;12:192-198**

**Schwartz D, Amir L, Dichter R, Figenberg Z: The use of a powered device for intraosseous drug and fluid administration in a national EMS: a 4-year experience. J Trauma 2008;64:650-654**

**Stein DM, Dutton RP, Kramer ME, Handley C, Scalea TM: Recombinant Factor VIIa: decreasing time to intervention in coagulopathic patients with severe traumatic brain injury. J Trauma 2008;64:620-627**

**Stinger HK, Spinella PC, Perkins JG, et al: The ratio of fibrinogen to red cells transfused affects survival in casualties receiving massive transfusions at an army combat support hospital. J Trauma 2008;64:S79-S85**

**Varoga D, Drescher W, Lippross S, Pufe T, Schutz R: Nonsteroidal anti-inflammatory drug (NSAID)-related spontaneous compartment syndrome resulting from severe platelet dysfunction. J Traum 2008; E-pub ahead of print**

**Von Hoff DD, Kuhn JG, Burris HA, Miller LJ: Does intraosseous equal intravenous? A pharmacokinetic study. Am J Emerg Med 2008;26:31-38**

**Warner KJ, Copass MK, Bulger EM: Paramedic use of needle thoracostomy in the prehospital environment. Prehosp Emerg Care 2008;12:162-168**

**Wortmann GW, Valadka AB, Moores LE: Prevention and management of infections associated with combat-related central nervous system trauma. J Trauma 2008;64:S252-S256**

**Yun HC, Branstetter JG, Murray CK: Osteomyelitis in military personnel wounded in Iraq and Afghanistan. J Trauma 2008;64:S163-S168**

## **February 2008**

**Arnaud F, Tomori T, Saito R, McKeague A, Prusaczyk WK, McKarron RM: Comparative efficacy of granular and bagged formulations of the hemostatic agent QuikClot. J Trauma 2007;63:775-782**

**Borgman MA, Spinella PC, Perkins JG, Grathwohl KW, Repine T, Beekley AC, Sebesta J, Jenkind D, Wade CE, Holcomb JB: The ratio of blood products transfused in patients receiving massive transfusions at a combat support hospital. J Trauma 2007;63:805-813**

**Curtis KM, Henriques HF, Fanciullo G, Reynolds CM, Suber F: A fentanyl-based pain management protocol provides early analgesia for adult trauma patients. J Trauma 2007;63:819-826**

**Guyette FX, Wang H, Cole JS: King airway use by air medical providers. Prehospital Emergency care 2007;11:473-476**

**Harcke HT, Pearse LA, Levy AD, Getz JM, Robinson SR: Chest wall thickness in military personnel: Implications for needle thoracentesis in tension pneumothorax. Milit Med 2007;172:1260-1263**

**Kozen BG, Kircher SJ, Henao J, Godinez FS, Johnson AS: An alternative hemostatic dressing: comparison of Celox to HemCon and QuikClot. Acad Emerg Med 2008;15:74-81**

**McManus J, Hurtado T, Pusateri A, Knoop KJ: A case series describing thermal injury resulting from zeolite use for hemorrhage control in combat operations. Prehospital Emergency Care 2007;11:67-71**

**Stansbury LG, Lalliss SJ, Branstetter JG, Bagg MR, Holcomb JB: Amputations in U.S. military personnel in the current conflicts in Afghanistan and Iraq. J Orthoo Trauma 2008;22:43-46**

**Zengerink I, Brink PR, Laupland KB, et al: Needle thoracostomy in the treatment of tension pneumothorax in trauma patients: What size needle? J Trauma 2008;64:111-114**

## **November 2007**

**Beekley AC, Starnes BW, Sebesta JA: Lessons Learned from modern Military Surgery. Surg Clin N Am 2007;87:157-184**

**Colyer MH, Weber ED, Weichel ED, Dick JS, Bower KS, Ward TP, Haller JA: delayed intraocular foreign body removal without endophthalmitis during Operations Iraqi Freedom and Enduring Freedom. Ophthalmology 2007;114:1439-1437**

**Gryth D, Rocksen D, Persson JKE, et al: Severe lung contusion and death after high-velocity behind-armor blunt trauma: relation to protection level. Milit Med 2007;172:1110-1116**

**Hammett M, Watts D, Hooper T, Pearse L, Naito N: Drowning deaths of U.S. service personnel associated with motor vehicle accidents occurring in Operation Iraqi Freedom and Operation enduring freedom, 2003-2005. Milit Med 2007;172:875-878**

**Schreiber MA, Perkins J, Kiraly L, Underwood S, Wade C, Holcomb JB: Early predictors of massive transfusion in combat casualties. J Am Coll Surg 2007;205:541-545**

**Ward KR, Tiba MH, Holbert WH, Blocher CR, Draucker GT, Proffitt EK, Bowlin GL, Ivatury RR, Diegelmann RF: Comparison of a new hemostatic agent to current combat hemostatic agents in a swine model of lethal extremity arterial hemorrhage. J Trauma 2007;63:276-284**

## **August 2007**

**Eastridge BJ, Jenkins D, Flaherty S, Schiller H, Holcomb JB: Trauma system development in a theater of war: experiences from Operation Iraqi Freedom and Operation Enduring Freedom. J Trauma 2006;61:1366-1372**

**Gulam H: Care of the Muslim Patient. Journal of Special Operations Medicine 2005;5:39-42**

**Krag JF, Baer DG, Walters TJ: Extended (16-hour) tourniquet application after combat wounds; a case report and review of the literature. J Orthop Trauma 2007;21:274-278**

**Lerner EB, O'Connor RE, Schwartz R, et al: Blast-related injuries from terrorism: an international perspective. Prehospital Emergency Care 2007;11:137-153**

**Perkins JG, Schreiber MA, Wade CE, Holcomb JB: Early versus late recombinant factor VIIa in combat trauma patients requiring massive transfusion. J Trauma 2007;62:1099-1101**

**Peterson K, Riddle MS, Danko JR, Blazes DL, Hayden R, Tasker SA, Dunne JR: Trauma-related infections in battlefield casualties from Iraq. Ann Surg 2007;245:803-811**

**Rogatsky GG, Mayevsky A: The life-saving effect of hyperbaric oxygenation during early-phase severe blunt chest injuries. Undersea Hyperb Med 2007;34:75-81**